







Topic 13: Reproduction in humans

## Chapter Analysis




#### **FOCUS**

- straightforward chapter
- linked to homeostasis & hormones



#### **EXAM**

- commonly tested in MCQ and structured questions
- appeared in paper 2 every year for the past 2 years



#### WEIGHTAGE


 Constitute to around 12.8% in Paper 2 in the past 5 years


#### **Key Concept**

## male reproduction system female reproduction system




## male reproductive system





Testes	<ul> <li>Produces sperms (male gametes)</li> <li>Produce male sex hormones e.g. testosterone. Male sex hormones are responsible for development and maintenance of secondary sexual characteristics.</li> </ul>
Epididymis	Where sperms are stored
Scrotum	<ul> <li>Testes are held in the scrotum, which are pouch-like sac outside the body</li> <li>This allows the scrotum to be at a lower temperature than body temperature, which is essential for sperm production.</li> </ul>
Sperm ducts / Vas deferens	Transport sperm from the epididymis to the urethra.
Prostate gland	<ul> <li>Together with Seminal vesicle and Cowper's gland/Bulbourethral gland, these 3 glands secrete fluid that is mixed with sperms to make semen</li> <li>The fluids contain nutrients and enzymes which nourish and activate the sperm, allowing them to swim actively.</li> </ul>
Urethra	<ul> <li>Urethra is a tube which passes from the bladder</li> <li>passage for urine and semen to pass out of the body</li> </ul>
Penis	<ul> <li>Penis is an erectile organ, containing erectile tissue, which allows the spaces within the tissue to be filled up with blood.</li> <li>When filled with blood, the penis becomes erect and hard, allowing it to enter the vagina of a woman during sexual intercourse to deposit semen.</li> </ul>

## sperm cell



#### Head

- The head is about 2.5 µm wide.
- It contains a large **nucleus** with small amounts of cytoplasm. The nucleus carries a haploid number of chromosomes.
- Acrosome is a vesicle containing enzymes. The enzymes break down part of the egg membranes so that the sperm can penetrate the egg during fertilisation.


#### Middle piece

• The middle piece contains numerous mitochondria, which provides energy for the sperm to swim towards the egg.

#### Tail (flagellum)


• It carries out beating movement to swim towards the egg

## female reproductive system



Ovaries	<ul> <li>Produces ova (S:ovum), female gamete</li> <li>Produce female sex hormones e.g. estrogen and progesterone. Female sex hormones are responsible for development and maintenance of secondary sexual characteristics.</li> </ul>
Oviducts / Fallopian tubes	<ul> <li>Narrow muscular tube where ovary releases the ovum into and leads to uterus</li> <li>Cilia on the inner lining help move the ovum to the uterus.</li> <li>Where fertilisation happens</li> </ul>
Uterus	<ul> <li>The uterus is a thick muscular organ.</li> <li>The uterus is lined by uterine lining or endometrium</li> <li>The endometrium is richly supplied with blood vessels.</li> <li>It is broken down every month and flows out of the body in the process called menstruation.</li> <li>It is the site of implantation of the embryo post-fertilisation.</li> <li>Uterus is where foetus develops during pregnancy</li> </ul>
Cervix	<ul> <li>The cervix is a circular ring of muscle that opens into the vagina.</li> <li>It enlarges during birth to allow the passage of the foetus.</li> </ul>
Vagina	<ul> <li>Birth canal through which the baby is born.</li> <li>Where sperm is deposited during sexual intercourse.</li> </ul>

## Ovum (Egg cell)




- The egg is spherical and about 120  $\mu m$  150  $\mu m$  wide (almost 50 times larger than sperm)
- Has a large nucleus containing haploid set of chromosomes.
- Has abundant cytoplasm which may contain a small amount of yolk.
- Surrounded by a plasma membrane and an outer membrane.

### **Key Concept**

# menstrual cycle fertilisation implantation




## menstrual cycle



Day 1 - 5	<ul> <li>Menstruation</li> <li>The endometrium breaks down and flows out of the body through the vagina.</li> </ul>
Day 6 - 13	<ul> <li>The ovaries secrete estrogen which stimulates repair and growth of the endometrium. It becomes thick and spongy with blood vessels.</li> <li>Estrogen prevents maturation and development of more ova</li> </ul>
Day 14	<ul> <li>Ovulation</li> <li>a mature ovum is released from the one ovary to oviduct.</li> <li>Estrogen level starts to fall and secretion of progesterone is stimulated.</li> </ul>
Day 15 - 28	<ul> <li>The ovaries secrete progesterone, which maintains the endometrium by causing it to thicken further and preparing for implantation of zygote.</li> <li>Progesterone inhibits ovulation</li> </ul>
Day 28	<ul> <li>Secretion of progesterone and estrogen decline sharply at the end of cycle</li> <li>If there is no implantation, The endometrium is no longer maintained and disintegrates.</li> <li>The cycle repeats.</li> </ul>

## Fertilisation




- 1. During sexual intercourse, **semen** containing sperms is **deposited into the vagina** of a woman.
- 2. The **sperms swim up the oviducts** and encounter the ovum.
- 3. The **acrosome** of the sperms release **enzymes** to disperse the layer of cells surrounding the ovum and break down the outer membrane of the ovum.
- 4. The sperm nucleus fuses with the egg nucleus. This process is called fertilisation, forming zygote
- 5. The plasma membrane of the egg undergoes a change as soon as a single sperm has entered, preventing other sperms from entering.
- 6. The remaining sperms eventually die.

#### **FERTILE PERIOD**

- The fertile phase of the cycle is from day 11 to 17.
- This is because **sperms can survive for 2 to 3 days** in the female reproductive system, thus **sperms** deposited in the vagina from **day 11** onwards **can fertilise the ovum** which is **released on day 14** from the ovaries
- The **ovum can survive for 1 to 2 days** after ovulation; hence fertilisation is possible up till day 17.
- Other days of the menstrual cycle are infertile phase.

## Implantation



After fertilisation, the level of **progesterone** will continue to remain high to maintain the uterine lining, so zygote can be implanted into the uterine lining and continue to grow and develop into a foetus


#### **Implantation**

- 1. **Cilia** lining the oviduct **sweep** the fertilised egg or zygote along the oviduct.
- 2. **Peristaltic movement** of the oviduct also help the zygote move towards the uterus.
- 3. The **zygote divides by mitosis** to form a hollow ball of cells called the **embryo**.
- 4. It takes about **five days** for the embryo to reach the uterus.
- 5. The developing embryo moves down the uterus and eventually embeds itself in the uterine lining.


## **Key Concept**







## Human Immunodeficiency Virus (HIV)



- Acquired Immune Deficiency Syndrome (AIDS) is a sexually transmitted disease that is caused by Human Immunodeficiency Virus (HIV)
- 2. HIV is a virus that attacks immune cells thus progressively reduces the effectiveness of the infected person's immune system in protecting him from infection.
- 3. AIDS is the most advance stage of HIV

#### Symtoms of AIDS


- Persistent fever, sweat, swollen glands, chills, weakness and weight loss
- Pneumonia
- Tuberculosis
- Chronic diarrhoea
- Brain infection
- Tumours such as Kaposi's sarcoma (cancer of the blood vessels) and cervical cancer in women

#### **Mode of transmission of HIV**

Exchange of bodily fluid NOT including saliva

- By sexual intercourse with an infected person
- By sharing and reusing contaminated needles during intravenous drug use, tattoos and piercing
- By receiving a blood transfusion from an infected donor
- During pregnancy and childbirth. An infected mother could pass on the disease to her child

## Control spread of HIV



- 1. Abstinence
- 2. Be responsible of having sex with only one partner
- 3. Use a condom during sex reduces the risk of infection.
- 4. Needles must be new and sterilised for tattoos, piercings or acupuncture
- 5. Infected mothers should undergo antiretroviral therapies and give birth by caesarean section to minimise risk of transmission to the foetus.
- 6. Reduce drug abuse as drug addicts usually share syringes to inject drugs
- 7. Infected mothers should undergo antiretroviral therapies and give birth by caesarean section to minimise risk of transmission to the foetus.



## For more notes & learning materials, visit:

www.overmugged.com



## **A**

Join our telegram channel:

<u>@overmugged</u>



Need help?

Hee Xin Wei
(Private tutor with 5
years of experience)

90721842 (Whatsapp)

<a href="mailto:@xinweihee">@xinweihee</a>
(telegram username)

### 'O' levels crash course program

Professionally designed crash course to help you get a condensed revision before your 'O' Levels!

The 4 hour session focuses on going through key concepts and identifying commonly tested questions!

Our **specialist tutors** will also impart valuable **exam pointers and tips** to help you maximise your preparation and ace your upcoming national exam!

The crash courses will begin in June 2021 and last till Oct 2021.

Pre-register now on our <u>website</u> and secure your slots!

